





Crompton

LED
Product Explorer

w.e.f. August 01, 2015



*Illuminates
Our Space!*

Our Showcase

Options Textiles,
Perumbavoor



TSIIC
Hyderabad



Kalamandir Jewellers,
Gujarat



International
Cochin



Himalaya Drugs Retail
Centre, Bangalore

Tool Centre,
Bhubaneswar





Nissan Showroom,
Raipur




Sunny Silks,
Angamaly



ational Airport,
n



XLRI,
Jamshedpur



SRFDCL,
Ahmedabad





INTERNATIONAL
YEAR OF LIGHT
2015

Crompton

General Notes Applicable for LED Luminaires

- | MRP indicates Maximum Retail Price. Product can't be sold above MRP. Taxes and local levies as applicable is inclusive.
- | Prices are in Indian Rupees.
- | Prices of all LED luminaires in this price list are for standard luminaire.
- | Prices are inclusive of excise duty as per prevailing rate at the time of supply. Any statutory variation will be to purchaser's account.
- | Products in this pricelist are subject to discount as per the prevailing trade policy from time to time.
- | Goods are dispatched by us on Purchaser's risk. All claims for loss, damage or shortage will be filed by the Purchasers directly with the carriers.
- | Orders should be placed in multiples of case lot.
- | Items other than those included in this price list are withdrawn from the range.
- | This pricelist supersedes our pricelist dated 1st July 2015.
- | All fixtures will be supplied as per our normal specifications. For additional features, please contact the nearest local office for details.
- | Continuous design improvement is a routine practice at Crompton. Data provided may change without any prior information. Customers are advised to reconfirm the data or product dimensions before purchase at our local offices.
- | Prices are subject to change without prior notice.
- | All orders shall be placed in writing.
- | Company reserves right to issue amendments, which may arise due to any errors in the price list.

CARE HAS BEEN TAKEN TO ENSURE THAT THE INFORMATION CONTAINED WITHIN IS CORRECT. HOWEVER, OWING TO CONTINUOUS INNOVATIONS AND IMPROVEMENTS THE ACTUAL PRODUCT WHEN SUPPLIED, MAY DIFFER FROM THE DETAILS GIVEN HEREIN.

PHOTOGRAPHS SHOWN HEREIN ARE INDICATIVE. PLEASE CHECK WITH NEAREST SALES OFFICE FOR THE ACTUAL PRODUCT.

CROMPTON RESERVES THE RIGHTS TO MAKE CHANGES IN THE DATA / DETAILS WITHOUT PRIOR NOTICE.

Authorised Trade Partner



Index

Sr. No.	Segment	Page No.
1.	Commercial	01
2.	Retail & Hospitality	13
3.	Industrial	23
4.	Streetlights	31
5.	Area Lighting	37
6.	Landscape	43

Crompton




Commercial LUMINAIRES



Oriental Bank of commerce,
Chandigarh



Himalaya Drugs Retail Centre,
Bangalore



Options Textiles,
Perumbavoor



XLRI,
Jamshedpur



State Bank India,
Gopivallbhpur



Nissan Showroom,
Raipur



Crompton

COMMERCIAL

Arion 1

CAT. REF.	WATTAGE	CASE LOT	MRP (₹)
LCTAR1-40-CDL	40	2	5450/-

- Recess mounted direct/indirect architectural luminaire.
- Luminaire gives soft glare free light for voluminous office lighting.
- Suitable for 600 mm x 600 mm modular / POP / Gypsum ceiling.



Arion 2

CAT. REF.	WATTAGE	CASE LOT	MRP (₹)
LCTAR2-40-CDL	40	2	4600/-


- Recess mounted direct/indirect architectural luminaire.
- Luminaire gives soft glare free light for voluminous office lighting.
- Suitable for 600 mm x 600 mm modular / POP/Gypsum ceiling.



Arion 3

CAT. REF.	WATTAGE	CASE LOT	MRP (₹)
LCTAR3-40-CDL	40	1	7100/-

- Recess mounted direct/indirect architectural luminaire.
- Luminaire gives soft glare free light for voluminous office lighting.
- Suitable for 600 mm x 600 mm modular/ POP/Gypsum ceiling.



Orion I

CAT. REF.	WATTAGE	CASE LOT	MRP (₹)
LCTLR-36-FO-CDL	36	2	5200/-
LCTLR-50-FO-CDL	50	2	7700/-

- Energy saving recess mounted luminaire.
- High translucent diffuser gives soft glare free light.
- Suitable for 600 mm x 600 mm modular / POP/Gypsum ceiling.



Orion I

CAT. REF.	WATTAGE	CASE LOT	MRP (₹)
LCTLR-36-FO-CDL/DA	36	2	15000/-

- Energy saving recess mounted luminaire provided with analog dimming(1-10V).
- High translucent diffuser gives soft glare free light.
- Suitable for 600 mm x 600 mm modular /POP/Gypsum ceiling.



Note:

- Colour temperature notation: CDL - 5700 / 6500K, NW & TL - 4000K, WW - 3000K.
- Frame required for modular / POP / Gypsum ceiling.

Crompton

Orion I

CAT. REF.	WATTAGE	CASE LOT	MRP (₹)
LCTLR-36-FO-CDL/DD	36	2	13275/-

- Energy saving recess mounted luminaire provided with DALI dimming.
- High translucent diffuser gives soft glare free light.
- Suitable for 600 mm x 600 mm modular/ POP/Gypsum ceiling.



Orion II

CAT. REF.	WATTAGE	CASE LOT	MRP (₹)
LCTLR-36-CDL	36	2	4500/-
LCTLS-36-CDL	36	2	5000/-

- Energy saving recess / surface mounted luminaire.
- High efficiency PMMA diffuser gives soft glare free light.
- Suitable for 600 mm x 600 mm modular/ POP/Gypsum ceiling.



Orion II

CAT. REF.	WATTAGE	CASE LOT	MRP (₹)
LCTLR-18-CDL	18	4	3050/-
LCTLS-18-CDL	18	4	3150/-

- Energy saving recess / surface mounted luminaire.
- High efficiency PMMA diffuser gives soft glare free light.
- Suitable for 300 mm x 300 mm modular/ POP/Gypsum ceiling.



Linnet

CAT. REF.	WATTAGE	CASE LOT	MRP (₹)
LCL-10-CDL	10	10	1800/-
LCL-05-CDL	05	10	1250/-

- Sleek LED mirror light.
- Provided with high output diffuser.
- Available in 1ft & 2ft version.



Aura I

CAT. REF.	WATTAGE	CASE LOT	MRP (₹)
LCPL-36-CDL/TL (2X2)	36	5	5800/-

- High lumen output LED recess mount / suspended slim panel.
- With satin finish side rim.
- Size 2x2.



Note:

- Colour temperature notation: CDL - 5700 / 6500K, NW & TL - 4000K, WW - 3000K.
- Frame required for modular / POP / Gypsum ceiling.

Crompton

COMMERCIAL

Aura II

CAT. REF.	WATTAGE	CASE LOT	MRP (₹)
LCPL-36-CDL/TL (1X4)	36	5	6550/-

- High lumen output LED recess mount / suspended slim panel.
- With satin finish side rim.
- Size 1x4.



Avancer

CAT. REF.	WATTAGE	CASE LOT	MRP (₹)
LCS-45-CDL	45	1	On Request


- Decorative suspended LED slim panel.
- With extruded aluminum satin finish rim.
- Supplied with suspension system.



Trend I

CAT. REF.	WATTAGE	CASE LOT	MRP (₹)
LCPTSNC40-CDL	40	4	7250/-
LCPTSNC80-CDL	80	1	10300/-
LCRTSNC40-CDL	40	4	12700/-
LCRTSNC80-CDL	80	1	19000/-


- LED luminaire with extruded aluminum in white powder coating finish. Continuous pendant / Suspended mounting.
- Snap fit frosted PMMA diffuser and aluminum reflector gives glare free light.



Trend II

CAT. REF.	WATTAGE	CASE LOT	MRP (₹)
LCPTSNC30-CDL	30	4	7000/-
LCPTSNC60-CDL	60	1	7000/-


- LED luminaire with extruded aluminum in white powder coating finish. Continuous pendant / Suspended mounting.
- Snap fit frosted PMMA diffuser and aluminum reflector gives glare free light.



Techzone

CAT. REF.	WATTAGE	CASE LOT	MRP (₹)
LCRTTZ-40-CDL	40	2	6250/-

- Energy saving LED luminaire in CRCA with white powder coating.
- Frosted diffuser gives glare-free light distribution.
- Suitable for techzone ceiling.



Note:

- Colour temperature notation: CDL - 5700 / 6500K, NW & TL - 4000K, WW - 3000K.
- Frame required for modular / POP / Gypsum ceiling.

Crompton

Span

CAT. REF.	WATTAGE	CASE LOT	MRP (₹)
LCTLR-40-CDL (1X4)	40	2	10400/-
LCTLS-40-CDL (1X4)	40	2	10400/-

- New generation LED luminaire with CRCA housing in white powder finish.
- High translucent PMMA diffuser provides soft glare free light.
- Suitable for surface/recess application.



Pensile

CAT. REF.	WATTAGE	CASE LOT	MRP (₹)
LCSA1-36-CDL/G	36	2	8250/-
LCSA1-36-CDL/S	36	2	8000/-

- Surface mounted / suspended architectural LED luminaire.
- Comprises of Aluminum housing in silver/gold color.
- Provides uniform glare-free light distribution.



Smile

CAT. REF.	WATTAGE	CASE LOT	MRP (₹)
LCDD05-CDL	05	8	630/-

- LED Downlighter with Aluminum die cast in white powder coating.
- Frosted PMMA diffuser gives soft glare free light.
- Replacement for traditional CFL downlight.



Crom Round

CAT. REF.	WATTAGE	CASE LOT	MRP (₹)
LCDD-12-CDL/TL/WW	12	8	1700/-
LCDD-15-CDL/TL/WW	15	8	1750/-
LCDD-18-CDL/TL/WW	18	8	1900/-

- Recess mounted LED Round downlighter.
- Die cast aluminum housing.
- High efficiency diffuser provides soft glare free light.



Crom Round

CAT. REF.	WATTAGE	CASE LOT	MRP (₹)
LCDD-12-CDL/DA	12	8	9300/-
LCDD-18-CDL/DA	18	8	9425/-

- Recess mounted Round LED downlighter with analog dimming(1-10 V).
- Die cast aluminum housing.
- High efficiency diffuser provides soft glare free light.



Note:

- Colour temperature notation: CDL - 5700 / 6500K, NW & TL - 4000K, WW - 3000K.
- Frame required for modular / POP / Gypsum ceiling.

Crompton

COMMERCIAL

Crom Round

CAT. REF.	WATTAGE	CASE LOT	MRP (₹)
LCDD-12-CDL/DD	12	8	9300/-
LCDD-18-CDL/DD	18	8	9425/-

- Recess mounted Round LED downlighter with DALI dimming.
- Die cast aluminum housing.
- High efficiency diffuser provides soft glare free light.



Crom Square

CAT. REF.	WATTAGE	CASE LOT	MRP (₹)
LSDD-12-CDL/TL/WW	12	8	1900/-
LSDD-15-CDL/TL/WW	15	8	2050/-
LSDD-18-CDL/TL/WW	18	8	2175/-

- Recess mounted LED Square downlighter.
- Die cast aluminum housing.
- High efficiency diffuser provides soft glare free light.



Crom + (Round)

CAT. REF.	WATTAGE	CASE LOT	MRP (₹)
LCDN-12-CDL	12	8	1475/-
LCDN-15-CDL	15	8	1485/-
LCDN-18-CDL	18	8	1550/-

- Recess mounted LED Round downlighter.
- Die cast aluminum housing.
- High efficiency diffuser provides soft glare free light.



Crom + (Square)

CAT. REF.	WATTAGE	CASE LOT	MRP (₹)
LSDN-12-CDL	12	8	1575/-
LSDN-15-CDL	15	8	1600/-
LSDN-18-CDL	18	8	1750/-

- Recess mounted LED Square downlighter.
- Die cast aluminum housing.
- High efficiency diffuser provides soft glare free light.



Prakhar

CAT. REF.	WATTAGE	CASE LOT	MRP (₹)
LCDNR-30-CDL/WW	30	2	5070/-
LCDNR-40-CDL/WW	40	2	5720/-
LCDNR-50-CDL/WW	50	2	6000/-

- Recess mounted LED downlighter without reflector.
- White powder coated with aluminum die cast housing.
- High translucent diffuser give soft glare free light.



Note:

- Colour temperature notation: CDL - 5700 / 6500K, NW & TL - 4000K, WW - 3000K.
- Frame required for modular / POP / Gypsum ceiling.

Crompton

Prakhar

CAT. REF.	WATTAGE	CASE LOT	MRP (₹)
LCDN-30-CDL/WW	30	2	On Request
LCDN-40-CDL/WW	40	2	On Request
LCDN-50-CDL/WW	50	2	On Request

- Recess mounted LED downlighter with reflector.
- White powder coated with aluminum die cast housing.
- High translucent diffuser give soft glare free light.



Gannet Round

CAT. REF.	WATTAGE	CASE LOT	MRP (₹)
LSDRM-24W-CDL/WW	24	20	2150/-

- Round shaped recess mounted LED slim panel.
- Diecast housing finished in white powder coating.
- Also available in surface mounted version.



Gannet Square

CAT. REF.	WATTAGE	CASE LOT	MRP (₹)
LSDSM-24W-CDL/WW	24	20	2150/-

- Square shaped recess mounted LED slim panel.
- Diecast housing finished in white powder coating.
- Also available in surface mounted version.



Pearl Round

CAT. REF.	WATTAGE	CASE LOT	MRP (₹)
LCDSPL-R-06-CDL	06	40	930/-
LCDSPL-R-12-CDL	12	30	1420/-
LCDSPL-R-18-CDL	18	20	2230/-

- Round shaped surface mounted LED slim panel.
- PMMA diffuser gives soft glare free light.
- Powder coated white finish housing.



Pearl Square

CAT. REF.	WATTAGE	CASE LOT	MRP (₹)
LCDSPL-S-06-CDL	06	40	930/-
LCDSPL-S-12-CDL	12	30	1420/-
LCDSPL-S-18-CDL	18	20	2230/-

- Square shaped surface mounted LED slim panel.
- PMMA diffuser gives soft glare free light.
- Powder coated white finish housing.



Note:

- Colour temperature notation: CDL - 5700 / 6500K, NW & TL - 4000K, WW - 3000K.
- Frame required for modular / POP / Gypsum ceiling.


Crompton

COMMERCIAL

Pearl HPF Round

CAT. REF.	WATTAGE	CASE LOT	MRP (₹)
LSCRM-6W-CDL/NW/WW	6	40	830/-
LSCRM-12W-CDL/NW/WW	12	30	1330/-
LSCRM-15W-CDL/NW/WW	15	20	1450/-
LSCRM-18W-CDL/NW/WW	18	20	2120/-


- Round shaped recess mounted LED flat panel.
- PMMA diffuser gives soft glare free light.
- Provided with High Power factor.



Pearl HPF Square

CAT. REF.	WATTAGE	CASE LOT	MRP (₹)
LSCSM-6W-CDL/NW/WW	6	40	830/-
LSCSM-12W-CDL/NW/WW	12	30	1330/-
LSCSM-15W-CDL/NW/WW	15	20	1450/-
LSCSM-18W-CDL/NW/WW	18	20	2120/-

- Square shaped recess mounted LED flat panel.
- PMMA diffuser gives soft glare free light.
- Provided with High Power factor.



Orbit

CAT. REF.	WATTAGE	CASE LOT	MRP (₹)
LCDS-08-CDL	08	12	1650/-
LCDS-14-CDL	14	12	2950/-

- Energy saving ceiling mounted decorative LED luminaire.
- Opal diffuser for soft light.



Beetle

CAT. REF.	WATTAGE	CASE LOT	MRP (₹)
LST20CDL/BL/WW	20	5	1850/-
LST20RGB	20	5	2575/-
LST65WW/BL	65	5	2325/-
LST65RGB	65	5	2950/-

- LED strip for Indoor & Outdoor with driver.
- 5 metres in length.



Note:


- Colour temperature notation: CDL - 5700 / 6500K, NW & TL - 4000K, WW - 3000K.
- Frame required for modular / POP / Gypsum ceiling.

Crompton

Mirrorlite

CAT. REF.	WATTAGE	CASE LOT	MRP (₹)
DMLN1LT8-8	8	10	185/-
DMLN1LT8-16	16	10	235/-

- Decorative box type fitting.
- Blue coloured end caps.
- Pre-wired for LED tube.



Retro LED

CAT. REF.	WATTAGE	CASE LOT	MRP (₹)
LTT8-8	8	20	1100/-
LTT8-16	16	20	1100/-
LTT8-20	20	20	1150/-


- Energy saving recess / surface mounted luminaire.
- High efficiency PMMA diffuser gives soft glare free light.



Cute Linea

CAT. REF.	WATTAGE	CASE LOT	MRP (₹)
LCCLB08-CDL	08	20	750/-
LCCLB16-CDL	16	20	1170/-
LCCLB24-CDL	24	10	1750/-

- LED luminaire comprises of thermally conductive material.
- Pre-wired with high efficiency electronic driver.
- High translucent frosted diffuser gets glare free, smooth light distribution.



Note:

- Colour temperature notation: CDL - 5700 / 6500K, NW & TL - 4000K, WW - 3000K.
- Frame required for modular / POP / Gypsum ceiling.


Crompton

CLEANROOM

Cleanlux I

CAT. REF.	WATTAGE	CASE LOT	MRP (₹)
LBRP40CL22CD	40	1	8575/-
LBRP50CL22CD	50	1	11275/-
LBRP60CL22CD	60	1	11475/-

- Recessed bottom opening LED clean room luminaire. Suitable for Walkable-Metal/RCC ceiling.
- IP 65 Protection.
- UV resistant & polycarbonate cover.



Cleanlux II

CAT. REF.	WATTAGE	CASE LOT	MRP (₹)
LBSP40CL22CD	40	1	8475/-
LBSP50CL22CD	50	1	11300/-
LBSP60CL22CD	60	1	11450/-

- Surface mounted LED clean room luminaire, Suitable for Walkable-Metal/RCC ceiling.
- IP 65 Protection.
- UV resistant & polycarbonate cover.



Cleanlux III

CAT. REF.	WATTAGE	CASE LOT	MRP (₹)
LTRP40CL22CD	40	1	11650/-
LTRP50CL22CD	50	1	13950/-
LTRP60CL22CD	60	1	14650/-

- Recessed top opening LED clean room luminaire, Suitable for Walkable-Metal/RCC ceiling.
- Variable mounting studs as per depth of ceiling.
- IP 65 Protection. UV resistant & polycarbonate cover.



Note:

- Colour temperature notation: CDL - 5700 / 6500K, NW & TL - 4000K, WW - 3000K.
- Frame required for modular / POP / Gypsum ceiling.

Crompton



Retail & Hospitality LUMINAIRES





Bata Showroom,
Bangalore



Grand Morden Super Market,
Vijaywada



Science City Museum,
Image 1



Science City Museum,
Image 2

Crompton

Cygnus I

CAT. REF.	WATTAGE	CASE LOT	MRP (₹)
LMR5W36-WW	5	20	750/-

- 5W MR16 LED Lamp with separate driver.
- 36 Degree beam angle.
- Die cast aluminium body in silver finish.



Cygnus II

CAT. REF.	WATTAGE	CASE LOT	MRP (₹)
LGU5W36-WW	5	20	800/-

- 5W GU10 MR16 LED lamp with driver.
- 36 Degree beam angle.
- Die cast aluminium body in silver finish.



Spot R

CAT. REF.	WATTAGE	CASE LOT	MRP (₹)
LGSR-07-W	7	12	2450/-

- Round recess mounted spot light.
- CMC aluminium body with ivory white powder coating finish.
- COB LED CCT 3000K, 520 Lm, 86 Dia.



Spot S

CAT. REF.	WATTAGE	CASE LOT	MRP (₹)
LGSS-7-W	7	12	2350/-

- Square shape recess mounted spot light.
- CMC aluminium body with ivory white powder coating finish.
- COB LED CCT 3000K, 520 Lm, 86 Dia.



Swot

CAT. REF.	WATTAGE	CASE LOT	MRP (₹)
LGSR-10-W	10	12	3250/-

- Round recess mounted projected out tiltable spot light.
- CMC aluminium body with ivory white powder coating finish.
- COB LED spotlight CCT 3000K, 710 Lm, 90mm Dia.



Crompton

Astern

CAT. REF.	WATTAGE	CASE LOT	MRP (₹)
LR-RFD2-20-WW/NDL-24/50D	20	8	4350/-

- 20W COB LED Fixed Recessed Downlight.
- Housing die cast aluminium powder coated white.
- Available in 3000K & 4000K Color temp.



Atom I

CAT. REF.	WATTAGE	CASE LOT	MRP (₹)
LGSR-20-W	20	12	7000/-


- Round recess mounted spot light.
- Aluminium body with ivory white finish.
- COB LED CCT 3000K, 130mm Dia, 1330 Lm.



Atom II

CAT. REF.	WATTAGE	CASE LOT	MRP (₹)
LGSR1-20-W	20	12	5650/-

- Round recess mounted spot light.
- Aluminium body with ivory white finish.
- COB LED CCT 3000K, 130mm Dia, 1330 Lm.



Aqua

CAT. REF.	WATTAGE	CASE LOT	MRP (₹)
LR-RAD-20-WW/NDL-24/50D	20	4	6100/-
LR-RAD-25-WW/NDL-24/50D	25	4	7150/-

- 20W/25W COB LED Recessed Adjustable Swivel Downlight.
- Housing die cast aluminium powder coated white.
- Available in 3000K & 4000K Color temp.



Ultra

CAT. REF.	WATTAGE	CASE LOT	MRP (₹)
LGSR-18-W	18	12	6250/-

- Round tiltable CMC aluminium body spot light.
- Ivory white powder coating finish.
- COB LED CCT 3000K, 155mm Dia, 1330 Lm.



Crompton

Eco I

CAT. REF.	WATTAGE	CASE LOT	MRP (₹)
LGSSR-7-W	7	12	4800/-


- Surface mounted round spot light.
- CRCA body powder coated in white.
- COB LED CCT 3000K 520 Lm.



Eco II

CAT. REF.	WATTAGE	CASE LOT	MRP (₹)
LGSRS-23-W	23	12	6650/-

- Round surface mounted down light.
- CMC Aluminium body with ivory white powder coating finish.
- COB LED CCT 3000K, 150mm Dia, 1700 Lm.



LGimble I

CAT. REF.	WATTAGE	CASE LOT	MRP (₹)
LR-R1GD-20-WW/NDL-24/50D	20	4	6500/-

- 20W COB LED Square Gimble Recessed Downlight.
- Housing die cast aluminium powder coated white.
- Available in 3000K & 4000K Color temp.



LGimble II

CAT. REF.	WATTAGE	CASE LOT	MRP (₹)
LR-R2GD-20-WW/NDL-24/50D	40	4	10500/-

- 2X20W COB LED 2 Way Gimble Recessed Downlight.
- Housing die cast aluminium powder coated white.
- Available in 3000K & 4000K Color temp.



Qubic

CAT. REF.	WATTAGE	CASE LOT	MRP (₹)
LGSS-20-W	20	12	6650/-

- Rectangle recessed 2x10 LED down light.
- CRCA body powder coated in white.
- COB LED 3000K, 1480 Lm, Dimension L-130, W-230, H-100 mm.



Crompton

Oliver

CAT. REF.	WATTAGE	CASE LOT	MRP (₹)
LGSTR-7-W	7	12	3050/-

- Surface mounted tiltable spot light.
- CRCA body powder coated in white.
- COB LED CCT 3000K, 520 Lm



Pendant I

CAT. REF.	WATTAGE	CASE LOT	MRP (₹)
LGSUSR-10-W	10	12	3400/-

- Suspend mounted spot light.
- CRCA body powder coated in white.
- COB LED CCT 3000K, 740 Lm.



Techno

CAT. REF.	WATTAGE	CASE LOT	MRP (₹)
LGTS-18-W	18	12	10100/-

- LED track light suitable for 1 M track.
- Housing die cast aluminium powder coated in white finish provided with track.
- COB LED CCT 3000K, 1330 Lm



Technica H

CAT. REF.	WATTAGE	CASE LOT	MRP (₹)
LR-TLHG-20-WW/NDL-24/50D	20	6	5850/-

- 20W COB LED Horizontal gear box Tracklight.
- Housing die cast aluminium powder coated white.
- Available in 3000K & 4000K Color temp.



Technica V

CAT. REF.	WATTAGE	CASE LOT	MRP (₹)
LR-TLVG-20-WW/NDL-24/50D	20	6	5900/-

- 20W COB LED Vertical gear box Tracklight.
- Housing die cast aluminium powder coated white.
- Available in 3000K & 4000K Color temp



Crompton

2 Circuit Power Track

CAT. REF.	WATTAGE	CASE LOT	MRP (₹)
PTW-2C-1M	NA	NA	800/-
PTW-2C-2M	NA	NA	1625/-
WSUPT-2C	NA	NA	675/-
LEPTW-2C	NA	NA	225/-
DEPTW-2C	NA	NA	100/-
SCPTW-2C	NA	NA	200/-

- 1 Meter / 2 Meter 2 Circuit power track.
- Wire suspension unit for 2 Circuit Power Track
- Live End for 2 Circuit Power Track
- Dead End for 2 Circuit Power Track.
- Straight Connector for 2 Circuit Power Track.

Victor (Trunking Batten)

CAT. REF.	WATTAGE	CASE LOT	MRP (₹)
LCBD-40-TL/CDL	40	6	4700/-

- 40W LED Batten Trunking Mounted.
- CRCA Housing with powder coated white.
- Available in 4000K and 5700K color temp.

Trunking System

CAT. REF.	WATTAGE	CASE LOT	MRP (₹)
RTRNH12	NA	NA	650/-
RTRNH24	NA	NA	1600/-

- 1.2 / 2.4 Meter Trunking with standard 7 wire system suitable to install Trunking Batten

Trunking Accessories

CAT. REF.	WATTAGE	CASE LOT	MRP (₹)
RTRNC03	NA	NA	110/-
RTRNC06	NA	NA	170/-
RTRNC12	NA	NA	220/-

- 300 / 600 / 1200 MM Bottom Cover



Crompton

Trunking Accessories

CAT. REF.	WATTAGE	CASE LOT	MRP (₹)
RCPLR	NA	NA	170/-

● Trunking connectors



Trunking Accessories

CAT. REF.	WATTAGE	CASE LOT	MRP (₹)
RSNCR15	NA	NA	210/-
RSNCR30	NA	NA	270/-

● 1.5 / 3 Meter Suspension Unit



Trunking Accessories

CAT. REF.	WATTAGE	CASE LOT	MRP (₹)
RENCP	NA	NA	85/-

● End Plate for Trunking.





Bata Showroom,
Bangalore

Crompton



Industrial LUMINAIRES





Blue Box,
Mumbai



Lear Corporation,
Pune



Bector Foods,
Ludhiana



Burckhardt Compression (I) Pvt Ltd.
Pune

Crompton

INDUSTRIAL

Platinum Bay

CAT. REF.	WATTAGE	CASE LOT	MRP (₹)
LHBB-90-CDL	90	1	19700/-
LHBB-90-CDL-MB	90	1	23200/-

- Technically most advanced LED Highbay available in market.
- Equipped with Synjet Active Cooling Technology.
- COB LED with optics for better uniform distribution.



Galaxy I

CAT. REF.	WATTAGE	CASE LOT	MRP (₹)
LHBBX-75-CDL	75	1	15500/-
LHBBX-90-CDL	90	1	15900/-

- Pressure Die Cast LED highbay with in-built control gear housing.
- Heat resistant toughened glass to provide better lighting.
- IP66 protection for both Light Engine Module & Driver.



Galaxy I

CAT. REF.	WATTAGE	CASE LOT	MRP (₹)
LHBBX-75-CDL-MB	75	1	17250/-
LHBBX-90-CDL-MB	90	1	17600/-

- Pressure Die Cast LED highbay with in-built control gear housing.
- Borosilicate Glass Lens & Acrylic cover to provide better uniform distribution.
- IP66 protection for both Light Engine Module & Driver.



Galaxy II

CAT. REF.	WATTAGE	CASE LOT	MRP (₹)
LHBBX-125-CDL	125	1	24700/-
LHBBX-150-CDL	150	1	25900/-
LHBBX-180-CDL	180	1	26950/-

- Pressure Die Cast LED highbay with in-built control gear housing.
- Heat resistant toughened glass to provide better lighting.
- IP66 protection for Light Engine Module & Driver IP67.



Galaxy II

CAT. REF.	WATTAGE	CASE LOT	MRP (₹)
LHBBX-125-CDL-MB	125	1	26585/-
LHBBX-150-CDL-MB	150	1	28750/-
LHBBX-180-CDL-MB	180	1	29600/-

- Pressure Die Cast LED highbay with in-built control gear housing.
- Borosilicate Glass Lens & Acrylic cover to provide better uniform distribution.
- IP66 protection for Light Engine Module & Driver IP67.



Crompton

Galaxy III

CAT. REF.	WATTAGE	CASE LOT	MRP (₹)
LHBBX-270-CDL	270	1	63500/-

- Aluminum Extrusion LED highbay with inbuilt control gear housing.
- Heat resistant toughened glass to provide better lighting.
- IP66 protection for both Light Engine Module & Driver.



Galaxy IV

CAT. REF.	WATTAGE	CASE LOT	MRP (₹)
LHBBX-360-CDL	360	1	80375/-

- Aluminum Extrusion LED highbay with inbuilt control gear housing.
- Heat resistant toughened glass to provide better lighting.
- IP66 protection for both Light Engine Module & Driver.



Glaze

CAT. REF.	WATTAGE	CASE LOT	MRP (₹)
LWV11-36-CDL	36	6	5150/-
LWV11-36-CDL-AC	36	6	5150/-
LWV11-36-CDL-ACL	36	6	5150/-

- Pressure Die Cast LED Wellglass with control gear housing. IP65 Protection; with Heat Resistant Glass / Opal Acrylic / Clear Acrylic Bowl.
- Eye Bolt / Bracket provided for Mounting purpose.
- Also available with wire guard.



Sparkel

CAT. REF.	WATTAGE	CASE LOT	MRP (₹)
LWV11-36-CDL/RFR	36	1	6900/-


- Pressure Die Cast LED refractor High bay with control gear housing.
- IP54 Protection for Light Engine Module & Control gear box IP65.
- Eye Bolt provided for mounting purpose.



LED Batten

CAT. REF.	WATTAGE	CASE LOT	MRP (₹)
IGP131LT8-16	16/20	10	375/-
IGP132LT8-16	2x16/20	10	415/-

- Industrial Box type luminaire with CRCA body.
- Pre-coated in white & pre-wired for LED tube.
- Available in single & double lamp housing.




Crompton

INDUSTRIAL

Shield

CAT. REF.	WATTAGE	CASE LOT	MRP (₹)
IPFC111LT8-16	16/20	4	1550/-
IPFC112LT8-16	2x16/20	4	1820/-


- Industrial luminaire with polycarbonate housing.
- Pre-coated in white & pre-wired for LED tube.
- IP66 Protection.



Shield +

CAT. REF.	WATTAGE	CASE LOT	MRP (₹)
LPFC-18-CDL	18	12	3250/-
LPFC-36-CDL	36	12	5500/-


- Industrial luminaire with polycarbonate housing.
- Aluminium gear tray duly prewired with inbuilt LED module.
- IP65 Protection



Green Ledline

CAT. REF.	WATTAGE	CASE LOT	MRP (₹)
LCB1-40-CDL	40	8	4500/-
LCB1-40-TL	40	8	4500/-

- Commercial LED Luminaire comprises of CRCA housing in white powder coated finish. The LED clusters are assembled in the body.
- High translucent curved PC diffuser gives uniform glare free light distribution.
- IP20 Protection.



Sparkel

CAT. REF.	WATTAGE	CASE LOT	MRP (₹)
LBH-10-CDL	10	8	2000/-
LBHN-10-CDL	10	8	1900/-
LBHN-10-WW	10	8	1900/-

- Integrated LED Bulk Head luminaire comprises of Pressure Die Cast housing,
- Acrylic diffuser & frame.
- IP65 Protection.




Crompton

Fiamma I

CAT. REF.	WATTAGE	CASE LOT	MRP (₹)
EXTN1LT8-8	8	1	7550/-
EXTN2LT8-8	2x8	1	7550/-


- CMRI Certified LED Flameproof 1x8W & 2x8W LED Tube Light fixture.
- Recommended for Gas / Vapour Group of IIA & IIB and Zone 1 & 2.
- IP65 Protection.



Fiamma II

CAT. REF.	WATTAGE	CASE LOT	MRP (₹)
EXTN1LT8-16/20	16/20	1	8850/-
EXTN12T8-16/20	2x16/20	1	8850/-

- CMRI Certified LED Flameproof 1x16/20W & 2x16/20W LED Tube Light fixture.
- Recommended for Gas / Vapour Group of IIA & IIB and Zone 1 & 2.
- IP65 Protection.



Glaze I

CAT. REF.	WATTAGE	CASE LOT	MRP (₹)
FWL1315-40-CDL	40	2	8800/-
FWL1315-40-CDL / HB	40	2	9600/-
FWL1315-40-CDL / CG	40	2	9500/-

- CMRI Certified LED Flameproof Wellglass Luminaire recommended for Gas / Vapour Group of IIA & IIB and Zone 1 & 2.
- Die Cast aluminum housing with heat resistant glass / heat resistant dome glass / extrenal reflector.
- IP65 Protection.




Radiance

CAT. REF.	WATTAGE	CASE LOT	MRP (₹)
IBFN100-15-CDL	15	2	On Request

- CMRI Certified LED Flameproof Bulkhead / Wellglass Luminaire recommended for Gas / Vapour Group of IIA & IIB and Zone 1 & 2.
- Die Cast aluminum housing with heat resistant glass.
- IP65 protection.





Crompton



Streetlight LUMINAIRES



International Airport Road,
Cochin



Marine Drive,
Jamshedpur

Rajahmundry Airport Road,
Warm White Led Street Light



International Airport,
Cochin



Jan Marg,
Chandigarh



Mall Avenue,
Lucknow



Crompton

STREETLIGHT

Ishan I

CAT. REF.	WATTAGE	CASE LOT	MRP (₹)
LSTBXI-90-CDL	90	1	19650/-

- Pressure diecast aluminum light engine.
- IP66 protection for light engine.
- Built in reflector with extruded aluminum body.
- Better optics for uniform distribution.



Ishan II

CAT. REF.	WATTAGE	CASE LOT	MRP (₹)
LSTBXI-180-CDL	180	1	28850/-

- Pressure diecast aluminum light engine.
- IP66 protection for light engine.
- Built in reflector with extruded aluminum body.
- Better optics for uniform distribution.



Sudarshan

CAT. REF.	WATTAGE	CASE LOT	MRP (₹)
LSTBXK-100-CDL/B	100	1	On Request

- Pressure diecast aluminum housing.
- IP65 protection.
- Built in reflector.
- Additional LED rim light provided for better aesthetics.



Starlet

CAT. REF.	WATTAGE	CASE LOT	MRP (₹)
LSTA-75-CDL	75	1	20800/-
LSTA-150-CDL	150	1	26000/-

- Sleek aesthetically designed pressure die cast aluminum body.
- Toughened glass & IP 65 protection.
- Better optics for uniform distribution.



Astra

CAT. REF.	WATTAGE	CASE LOT	MRP (₹)
LSTN-12-CDL	12	12	2500/-
LSTN-15-CDL	15	12	2500/-
LSTN-18-CDL	18	12	2700/-

- Sleek pressure die cast aluminum housing.
- Heat resistant glass.
- IP 65 protection.



Crompton

Freedom

CAT. REF.	WATTAGE	CASE LOT	MRP (₹)
LSTO-25-CDL	25	6	2900/-


- Pressure die cast aluminum housing.
- Heat resistant glass.
- IP65 protection.
- Better optics for uniform distribution.



Freedom +

CAT. REF.	WATTAGE	CASE LOT	MRP (₹)
LSTN-30-CDL	30	6	4700/-

- Pressure die cast aluminum housing.
- Heat resistant glass.
- IP65 protection.
- Better optics for uniform distribution.



Nexus +

CAT. REF.	WATTAGE	CASE LOT	MRP (₹)
LSTO-45-CDL	45	1	7750/-
LSTO-60-CDL	60	1	8820/-

- Pressure die cast aluminum housing.
- Heat resistant toughened glass with frame.
- IP66 protection.
- Better optics for uniform distribution.



Olympus

CAT. REF.	WATTAGE	CASE LOT	MRP (₹)
LSTN-72-CDL	72	1	10350/-

- Pressure die cast aluminum housing.
- Heat resistant toughened glass with frame.
- IP66 protection.
- Better optics for uniform distribution.



Olympus

CAT. REF.	WATTAGE	CASE LOT	MRP (₹)
LSTO-90-CDL	90	1	14110/-
LSTO-100-CDL	100	1	16310/-

- Pressure die cast aluminum housing.
- Heat resistant toughened glass with frame.
- IP66 protection.
- Better optics for uniform distribution.



Crompton

Olympus II

CAT. REF.	WATTAGE	CASE LOT	MRP (₹)
LSTO-120-CDL	120	1	17200/-
LSTO-135-CDL	135	1	18900/-

- Pressure die cast aluminum housing.
- Heat resistant toughened glass with frame.
- IP66 protection.
- Better optics for uniform distribution.

Olympus +

CAT. REF.	WATTAGE	CASE LOT	MRP (₹)
LSTO-150-CDL	150	1	36750/-
LSTO-165-CDL	165	1	49300/-
LSTO-215-CDL	215	1	55200/-

- Pressure die cast aluminum housing.
- Heat resistant glass.
- IP65 protection.
- Better optics for uniform distribution.



STREETLIGHT

Crompton



Area Lighting LUMINAIRES



Border Lighting,
Amritsar



Kalamandir Jewellers,
Surat



Border Lighting,
Amritsar



LED Highmast Lighting,
Varanasi Ghat



LED Floodlight,
Varanasi

Crompton

AREA LIGHTING

Profile I

CAT. REF.	WATTAGE	CASE LOT	MRP (₹)
LFLE-30-CDL	30	6	4300/-
LFLE-50-CDL	50	6	5000/-

- Pressure die cast housing with IP65 protection.
- Efficient high output LED for better distribution.
- Applicable for monument lighting, Area lighting & Security lighting.



Hercules I

CAT. REF.	WATTAGE	CASE LOT	MRP (₹)
LSFO-60-CDL	60	1	10660/-

- Pressure die cast housing with IP65 protection.
- Efficient high output emitter LED for better distribution.
- Applicable for area lighting.



Hercules II

CAT. REF.	WATTAGE	CASE LOT	MRP (₹)
LSFN-72-CDL	72	1	11400/-

- Pressure die cast housing with IP65 protection.
- Efficient high output emitter LED for better distribution.
- Applicable for area lighting.



Hercules II

CAT. REF.	WATTAGE	CASE LOT	MRP (₹)
LSFO-90-CDL	90	1	16050/-
LSFO-120-CDL	120	2	18800/-
LSFO-135-CDL	135	2	20550/-

- Pressure die cast housing with IP65 protection.
- Efficient high output emitter LED for better distribution.
- Applicable for area lighting.



Secure

CAT. REF.	WATTAGE	CASE LOT	MRP (₹)
LSFO-150-CDL/60	150	1	31200/-
LSFO-170-CDL/60	170	1	33250/-
LSFO-200-CDL/60	200	1	36400/-

- Pressure die cast housing with IP 66 protection.
- Heat resistant tempered glass for protection with 5KV surge protection.
- Applicable for large area lighting.



Crompton

Elite

CAT. REF.	WATTAGE	CASE LOT	MRP (₹)
LCNWXR-55-CDL	55	1	On Request


- Recess mounted aesthetic luminaire.
- Gravity die cast housing in matte white powder coat finish.
- IP 65 protection.



Leo

CAT. REF.	WATTAGE	CASE LOT	MRP (₹)
LHBBX-80-CDL/RA	80	1	18300/-

- Integral LED Highbay luminaire.
- Consists of die cast Aluminum housing with clear glass.
- IP 65 protection from bottom.



Nemo

CAT. REF.	WATTAGE	CASE LOT	MRP (₹)
LCNRA-80-CDL	80	1	23935/-

- Integral recessed undercanopy LED luminaire.
- Comprises of Extruded Aluminum housing and frame with toughened glass.
- IP 65 protection.



Nemo


CAT. REF.	WATTAGE	CASE LOT	MRP (₹)
LCNRI-80-CDL	80	1	15600/-

- Integral recessed undercanopy LED luminaire.
- Comprises of die cast Aluminum housing and frame with toughened glass.
- IP 65 protection.





Crompton



Landscape LUMINAIRES





Chief Justice Bungalow,
Bilaspur




ECO Park,
Kolkata




Pratapgarh,
Uttar Pradesh



SRFDCL,
Ahmedabad



Sheeshmahal Lake
Lucknow



Crompton

LANDSCAPE

Planet

CAT. REF.	WATTAGE	CASE LOT	MRP (₹)
LSTB5-40-T	40	1	On Request
LSTB5-65-T	65	1	On Request

- Sleek aesthetically designed luminaire for street lighting purpose IP65 protected.
- Sensor based for higher energy saving.
- Resistant to impact and corrosion. Glare-free and good light uniformity.



Orchid

CAT. REF.	WATTAGE	CASE LOT	MRP (₹)
LPTSB-30-CDL	30	1	On Request
LPTSB-60-CDL	60	1	On Request
LPTSB-90-T	90	1	On Request

- Decorative Post-Top for garden & landscape lighting.
- IP65 protection.
- Resistant to impact and corrosion. Glare-free and good light uniformity.



Shine

CAT. REF.	WATTAGE	CASE LOT	MRP (₹)
LPTOD-60-CDL	60	1	On Request
LPTOD-90-CDL	90	1	On Request

- Housing made of Die Cast Aluminium.
- Electrostatically applied polyester powder coat finish.
- Resistant to impact and corrosion. Glare-free and good light uniformity. IP 65 protection.



Aster

CAT. REF.	WATTAGE	CASE LOT	MRP (₹)
LPTSA-30-T	30	1	On Request
LPTSA-70-T	70	1	On Request
LPTSA-90-CDL	90	1	On Request

- Decorative Post-Top for garden & landscape lighting.
- IP 65 protection. Resistant to impact and corrosion. Glare-free and better uniformity.



Maple

CAT. REF.	WATTAGE	CASE LOT	MRP (₹)
LPTO-40-CDL	40	1	13200/-
LPTO-40-CDL/M	40	1	12650/-
LPTO-40-WW/M	40	1	13300/-

- Decorative Post-Top for 360° indirect light.
- Resistant to impact and corrosion. Glare-free and better uniformity. IP 65 protection.
- /M - Milky version.



Crompton

Fern

CAT. REF.	WATTAGE	CASE LOT	MRP (₹)
LPTOI-45-CDL/T	45	1	17500/-

- Decorative indirect Post-Top for garden & landscape lighting.
- IP65 protection.
- Resistant to impact and corrosion. Glare-free and better uniformity.



Liara

CAT. REF.	WATTAGE	CASE LOT	MRP (₹)
LBLS1-10-CDL	10	1	6450/-

- Inverted pyramid tripod type LED bollard with soft 360° light.
- IP65 protection, Resistant to corrosion.
- Better optics for uniform distribution.



Uno

CAT. REF.	WATTAGE	CASE LOT	MRP (₹)
LLBSU1-8-WW	8	1	8400/-

- Die cast tiltable warm white colour LED bollard.
- IP 65 protection.
- Resistant to corrosion.



Duo

CAT. REF.	WATTAGE	CASE LOT	MRP (₹)
LLBSU2-16-WW	16	1	13550/-


- Die cast tiltable warm white colour LED bollard.
- IP 65 protection.
- Resistant to corrosion.



Trisha

CAT. REF.	WATTAGE	CASE LOT	MRP (₹)
LBLM06WW	06	6	5300/-
LBLM06WW/WM	06	6	4500/-

- Pressure die cast housing with PC diffuser.
- Suitable for garden and pathway lighting.
- IP 65 protection, Resistant to impact.



Crompton

Sirisha

CAT. REF.	WATTAGE	CASE LOT	MRP (₹)
LBLMS06WW	06	6	5150/-
LBLMS06WW/WM	06	6	4900/-

- Pressure die cast housing with PC diffuser.
- Suitable for garden and pathway lighting.
- IP 65 protection, Resistant to impact.



Disha

CAT. REF.	WATTAGE	CASE LOT	MRP (₹)
LFLM18WW	18	6	11700/-

- Pressure die cast housing with Glass diffuser.
- Suitable for monument & Bush lighting.
- IP 65 protection, Resistant to impact.



Crocus

CAT. REF.	WATTAGE	CASE LOT	MRP (₹)
LWOM10WW/FO	10	6	3850/-
LWOM10WW/HO	10	6	3150/-

- Oval housing and diffuser made up of polycarbonate.
- IP 66 protection.
- Resistant to impact.



Galax

CAT. REF.	WATTAGE	CASE LOT	MRP (₹)
LWRM12W	12	6	4250/-

- Decorative LED wall light.
- Polycarbonate housing with polycarbonate diffuser.
- IP 66 protection with Resistant to impact.



This image shows a single sheet of white paper with horizontal ruling lines. The lines are evenly spaced and run across the width of the page. There are no margins, text, or other markings on the paper.

Sales Offices

■ NORTHERN REGION

New Delhi: 3rd Floor, Express Building,
9-10, Bahadur Shah Zafar Marg,
Near ITO Crossing, New Delhi-110002

Jaipur: Church Road, PO BOX 173, Jaipur-30200

Jalandhar: Crompton Greaves Ltd.
BXII-407, 2nd floor, Near BSF Chowk,
Ladowali Road, Jalandhar-144001

Lucknow: Saran Chambers II ,3rd floor,
5 Park Road, Lucknow - 226001

Chandigarh: SCO 144-145(2nd Floor), Sec 34 A ,Chandigarh

■ EASTERN REGION

Kolkata: 50 Chowringhee Road, Kolkata - 700071

Bhubaneshwar:Janpath Tower, 3rd Floor,
Ashok Nagar Unit II, Bhubaneshwar - 751009

Guwahati: C/o. Assam Investment & Construction Co.,
GS Road, Dispur, Ganeshguri (Near Car Ghar), Guwahati - 781 005

Patna: 501, LUV KUSH TOWER, EXHIBITION ROAD,
Patna - 800001

Ranchi: 3, Westend Park, Kaju Bagan
(Near DAV Junior School) Hehal, Ratu Road, Ranchi-834005

■ WESTERN REGION

Mumbai: Western Region, 6th Floor, Natraj,
Western Express Highway, Andheri (East), Mumbai - 400 069

Ahmedabad: 909-916, Sakar II, Near Ellis Bridge,
Ahmedabad - 380001

Indore: 103-B, Apollo Trade Centre,
2B, Rajgarh Kothi, Mumbai-Agra Road, Indore - 452001

Nagpur: Gokul Keshav Apartment, Plot No 3,
Block No FF1 & FF2, First Floor, Deo Nagar Square,
Khamla Main Road, Deo Nagar, Nagpur -15. Maharashtra.

Baroda: 10A,Vrindavan Colony,
Near Hari Nagar Water Tank,Gotri Road,Baroda-390007

Pune: Premium Point Building, 4th floor,
Opp Modern High School, J M Road,
Shivajinagar, Pune-411005

Raipur: Crystal Arcade, A Block - 201, Near Lodhipara Square,
Shankar Nagar Road, Raipur - 492007

■ SOUTHERN REGION

Chennai: Crompton House-3, Dr. MGR Salai,
(Kodambakkam High Road),Nungambakkam, Chennai - 600034

Bangalore: 3rd Floor, JP Square, No.17, 3rd Cross,
5th Main, Chamrajpet, Bangalore - 560018

Kochi: Door No.46/3386, Cochin House,
Arkakavadu Road, Vennala P.O, Cochin 682028

Secunderabad: Minerva Complex, 4th floor,
94, Sarojni Devi Road, Secunderabad-500003

Coimbatore: Crompton Greaves Ltd,SF 219,
Annamalai Industrial Park, Kalapatti, Coimbatore-641048

Madurai: 2/3,Mangyakarsi Women's College Road,
Paravai, Madurai-625402

Tel.No

(011) 23460700 - 999

(0141) 3018800 / 01

(0181) 3051301 / 95, 2225410

(0522) 4152 150 / 56

(0172) 4011440

(033) 2829681 / 85

(0674) 2531128, 2531429

(0361) 2344704 / 2341079

(0612) 3261594/95

(0651) 2512095

(022) 61929400, 61929436,
61929441

(079) 40012000, 40012201

(0731) 2498269, 2498271,
2495531

(0712) 2531271, 2560870,
2560 871

(0265) 2332460, 2332227

(020) 25534675 / 77 / 85

(0771) 4022214, 4022215

(044) 42247500 / 75,
28235533, 28257375.

(080) 41391908, 41391918,
41391912

(484) 2803860 / 61 / 62 / 63

(040) 40002300, 40002347,
40002345

(0422) 3193101 / 102

(0452) 2667771

Our Showcase

Thane Municipal Corporation,
Thane



IOCL,
Hyderabad



Varanasi Ghat,
Varanasi




State Bank Of India,
Thane



Burckhardt Compression (I)
Pvt Ltd., Pune




Udag
Ahm




GPO,
Nagpur




Grand Modern
Super Market,
Vijaywada



Blue Box,
Mumbai



SRFDCL,
Ahmedabad



Udagam School,
Ahmedabad



Crompton



H.O Mumbai:
Lighting Division, 1st Floor, Tower no. 3,
Equinox Commercial Complex, LBS Marg,
Kurla West. Mumbai. T: (022) 26168412

Registered Office:
CG House, 6th Floor, Dr. Annie Besant Road,
Worli, Mumbai-400 030 India
W: www.cgglobal.com